

## Karnataka State **Pollution Control Board**

CAS

S S

5

Parisara Bhavana, No. 49, Church Street, Bengaluru-560001

Tele: 080-25589112/3, 25581383

5/42

Fax:080-25586321

Email id: ho@kspcb.gov.in

aus'

## Consent For Establishment (CFE)

The Water (Prevention & Control of Pollution) Act, 1974 As per the provisions of

The Air (Prevention & Control of Pollution) Act, 1981

To

CAN

CAO

CAO

CAS

CAD

Karnataka Industrial Area Development Board, Yeramarus Village

for the Facility located at,

SAS

Karnataka Industrial Area Development Board,111,112&123, Yeramarus Village

#### Raichur

Consent Order No PCBID	PCBID	INW ID	INW ID Industry Colour/Scale Date of Issue	Date of Issue
CTE-335321	132986	169064	RED/LARGE	03/01/2023

This Consent is granted for the Products/ Activity/Service name indicated in the annexure along with the terms & conditions attached to this order

ava de ava de ava de ava de ava de ava de

Validity: 02/01/2028

e\_outwardno56750--03/01/2023 CAS

S/18 MS

SNo.

PCB ID-132986

INW ID-169064

Sec. 50.

CHIEF/SENIOR ENVIRONMENTAL OFFICER

Printed from XGN

Consent Order No. CTE-335321

PCB ID:

Date: 03/01/2023

The Applicant

Karnataka Industrial Area Development Board

#49, Hyderabad Road, Raichur Indl.

Area, Raichur

Sir,

Sub: Consent to Establish under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981-reg.,

Ref: CFE application submitted by the industry/organization on

at Regional Office

Inspection of the project site by Regional Officer

3. Proceedings of the ECM dated 02/08/2022

,held on 27/10/2022

Raichur on

06/10/2022

Pollution) Act, 1981 at the location indicated below subject to the following terms & conditions. new Activity under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of With reference to the above, Karnataka State Pollution Control Board hereby accords Consent for Establishment for

Name of the Applicant:

Karnataka Industrial Area Development Board

111,112&123, Yeramarus Village

YARMARSU INDL ESTATE

Raichur,

Yeramarus

Industrial Area:

District: Raichur

#### Conditions:

- This consent for establishment is valid up to 02/01/2028
- from the date of issue.
- The applicant shall not undertake expansion/diversification without the prior consent of the Board
- The applicant shall obtain necessary license/clearance from other relevant statutory agencies as required under
- This consent is granted considering the following activities:

Sr	Product Name	Applied Qty	Unit
_	development of industrial area with 28 nos of plots in an extent of	1.0000	Number
	41.62 acres		
	nent of industrial area with 28 nos of plots in es	1.0000	Ni

## WATER CONSUMPTION:

The source of water shall be from

Borewell

and total water consumption shall be as below

Domestic Purpose 10.0	Particulars Water consur
	sumption(KLD)

## II. WATER POLLUTION CONTROL:

- the Board shall be free to collect samples in accordance with the provisions of the Act or Rules made there under. 1.The discharge from the premises of the applicant shall pass through the terminal manhole/manholes where from
- 2. The applicant shall treat the domestic wastewater from the factory in septic tank with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be designed as per IS 2470 Part I andPart- II
- 3. The applicant shall treat the domestic wastewater in the Sewage Treatment Plant (STP) as per the proposal submitted.It shall meet the standards specified in Annexure-I & shall be used on land for gardening/greenbelt within factory premises
- 4. The quantity of domestic waste water and trade effluent generated from the proposed industry shall not exceed permitted quantity as indicated below

## Discharge of effluents under the Water Act:

л		<u>S</u>
The anni		SI. No.
The applicant chall treat the treat officer	1 Domestic Purpose	Description
	8.000	Permitted Quantity of discharge in KLD
	8.000 the applicant shall treat the domestic waste water during construction phase with Septic tank with soak pit	Permitted Quantity of Mode/Place of disposal discharge in KLD

- The applicant shall treat the trade effluent in proposed ETP which consists of the following:
- The applicant shall ensure that the ETP will treat the effluent to the stipulated standards as indicated in
- The applicant shall not discharge any effluent outside the industry premises.
- The applicant shall provide separate flow meter for inflow & outflow of effluents through ETP and separate energy meter and shall maintain a logbook for hourly record of meter reading for the verification of inspecting
- The applicant shall discharge the effluents only to the place mentioned in the Consent order

## III. AIR POLLUTION CONTROL:

- The Source of emission, Stack height & Air Pollution Control (APC) measures shall be as specified in ANNEXURE-II.
- 2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.
- 3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board

## IV. NOISE POLLUTION CONTROL:

period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-The applicant shall ensure that the ambient noise levels within its premises during construction and during operational

- In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time
- <u>b</u> In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time
- In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time
- Note: -Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am
- dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is
- A "decibel" is a unit in which noise is measured

relatable to human hearing

- "A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
- ' Leq: It is an energy mean of the noise level over a specified period.

# V. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

- -The applicant shall collect, treat and dispose off all solid waste generated from the process other than wastes covered under the Hazardous and other Wastes (Management & Transboundry Movement) Rules 2016, in such manner so as not to cause environmental pollution.
- 2 The details of solid waste generated from the proposed plant and mode of disposal shall be as below

# VI. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUNDRY MOVEMENT)

The applicat shall apply and obtain authorization under Hazardous and Other Wastes (Management Transboundry Movement) Rules 2016, and comply with the provisions of the said Rules 200

#### VII. GENERAL:

- environment, life and property. The applicant shall be solely responsible for any damages to environment The applicant shall transport and store the raw materials in a manner so as not to cause any damage
- 2 The applicant shall not commission the proposed plant for trial or regular production unless necessary Water & air pollution control equipments are installed as specified in the Consent Order.
- ω simultaneously along with construction of the factory and erection of machineries The applicant shall ensure that the treatment plant and control equipments are completed and commissioned
- 4 The applicant shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix (c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air pollution control equipments without the prior approval of the Board.

(This document contains 8 pages including annexure & excluding additional conditions)

- 5 release of discharge of effluents or emissions or solid wastes etc. in excess of the standards stipulated. And the industry shall immediately take appropriate corrective and preventive actions under intimation to the The applicant shall immediately report to the Board of any accident or unforeseen act or event resulting in
- terms and conditions. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the
- 7. is necessary for setting/operation of the plant. This CFE does not give any right to the Party/Project Authority/Industry to forego any other legal requirement, that
- $\infty$ with the application for Consent to operate. The applicant shall furnish pointwise compliance to the conditions given under this consent for establishment along
- 9 restoration in advance an amount equal to the cost estimated by Competent Agency or Committee which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing
- 10. The applicant shall comply with all the Conditions and guidelines issued from time to time
- 11. The applicant must create structure/facility for rain water harvesting and ground water recharge.
- 12. The applicant shall develop extensive green belt within the periphery of the plant.
- 13. This consent is issued without prejudice to Court Cases pending in any Hon'ble Court

obtained by remitting prescribed consent fee. The application for consent has to be made 90 days in advance of establishment of the industry and does not give any right to proceed with trial/regular production. For this commissioning for trial production of the plant. purpose, separate consents of the Board for discharge of liquid effluent and the emissions to the air shall have to be Please note that this is only consent for establishment issued to you to proceed with the formalities for

The receipt of this letter may please be acknowledged

Consent Fee paid . . Rs. 60000

Note:

The Conditions Nil

mentioned in the schedule are not applicable.

e\_outwardno56750--03/01/2023

Page-5

#### COPY TO:

- 1. The Environmental Officer, KSPCB, Regional Office, industry during your next visit to the area. Raichur for information and to inspect the
- 9.2 Master copy (Dispatch).
  Office copy.

### ANNEXURE- II

0 PM,SO2,NOx,C 0,0,0,0,0 O, NMHC	above ground level (in Mts)	to provided
Ox,C 0,0,0,0,0		
GRB	installed,in achieve the addition to stipulated chimney tolerance lim height as per and chimney col.(4) conforming t stipulated heights.	equipment to equipments shall be

Note: GRB

: Green Belt

Page-6 e\_outwardno56750--03/01/2023

PCB ID-132986

INW ID-169064

### Additional Conditions:

II(2),(6), III(2), IV(1), V(1), VI(1) & VII(4) these conditions are not applicable.

The project authorities shall strictly comply with the conditions stipulated in Annexure I contains pages.

The CFE is issued as per the recommendations of the Enforcement Committee Meeting held on 28th October 2022 duly approved by Member Secretary & Hon'ble Chairman.

Page-7 e\_outwardno56750--03/01/2023 PCB ID-132986 INW ID-169064 CHIEF/SENIOR ENVIRONMENTAL OFFICER

# LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling equation. Valve, Fitting or Visible Flame or rectangular stacks, the equivalent diameter can be calculated from the following downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters

Equivalent Diameter П 2 (Length x Width)

(Length + Width)

- 2 porthole is closed firmly during the non sampling period. The diameter of the sampling port should not be less than 100mm dia". Arrangements should be made so that the
- ω portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the
- 4 The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

KARNATAKA STATE POLLUTION CONTROL BOARD FOR AND ON BEHALF OF

Validity unknown

Digitally signed by Date: 2023.01.03 15:48:58 +05:30

e\_outwardno56750--03/01/2023

Page-8

PCB ID-132986

INW ID-169064

CHIEF/SENIOR ENVIRONMENTAL OFFICER

Printed from XGN